ZOOMGATE

SWING

SWING BARRIER

The ***SWING*** Gate System is of sensor-controlled passage way with automatic half to full height panel doors. They allow for comfortable contactless access with bags or luggage. The barrier armed with an alarm system prevents unauthorised entry with minimum observation, thus the ideal installation for strategic high security areas like financial buildings, air port immigrations and etc.

Safety Features

Each lane is fitted with safety beams to ensure proper access clearing. Options to cater to children and wheelchair users are available.

Our modern motor mechanism will disengage the gate when the gate is obstructed from movement. The use of tampered glass or acrylic provides an additional safety feature for the users.

Aesthetic

A variety of customisation, different finishes and colours of the stainless steel is available, further providing designers the freedom to seamlessly integrate the products into any architecture environment as they desire. Mild steel powdercoating into a variety of colours is also available.

ASW-AR-01

Front View



Top View



ASW-AR-01

ASW-AR-02

ASW-AR-03

ASW-AR-04

ASW-AR-05

Dimension	Console height	1028mm
	Console length	1400mm
	Console width	160 / 168 / 170 mm
	Passage width	550 / (900 Handicap) mm
Operation	Adjustable cycle time	0.5 - 0.8 sec
Electical	Input voltage (AC)	220V 50Hz
	Operating voltage	24V 100W
Add-ons	Tail-gate sensor	
	Crawl Sensor	
	LED Sensor	
	Reader Mounting	

*These Dimensions are for Illustration Purposes, Actual Figures are Subject to Change.

Colour: Bronze Black Champagne Silver

Finishing: Hairline Non Directional

ZOOM TECH

Zoom Tech Pte Ltd, 68 Senoko Road, Singapore 758128
T +65 6365 4715 or +65 6755 3306 | F +65 6482 3395
www. zoomtech.com.sg